



## TECNOMESH 100 - REINFORCING FIBER-GLASS MESH

Mesh for reinforcing for the polyurethane waterproofing membranes Desmopol / Desmopol CB at detail work, critical points, and general areas in case of was necessary.

### USES

To use in this kind of situations:

- To use for reinforcement at special points in the application of single-component polyurethane membranes Desmopol / Desmopol CB. (upstands, flashpoints, internal outlets, evacuations, and fissures).
- On the polyurethane membranes Desmopol / Desmopol CB for waterproofing and coating under the following conditions: sinks zones, bars or other drainage zones, race, upstands and flashpoints in the perimeter
- Reinforced expansion joints, active cracks, insulation joints,
- Strengthening all unions and meetings between heterogeneous materials and different expansion coefficients.

**NOTE:** call our technical department about the application to other supports or situations

density of mesh	100 g/m2 ( $\pm 10\%$ )
tensile strength (mesh)	>20 N/150 mm
tensile strength(warp thread)	>20 N/150 mm
content binder	6-10%
water content	<0,4%
fiber lenght	50 mm.

### APPLICATION METHOD

- applies the first layer of Desmopol / Desmopol CB
- when still wet, embed the mesh in the membrane liquid layer. Use a dry roll to do it.
- apply the next layers of Desmopol / Desmopol CB needed.
- apply TECNOTOP resin, regarding the specifications, if necessary.

### PACKAGING

Rolls of 50 m2. Measures: 1,00 m. wide and 50 m. of length



The information herein is to assist customers in determining whether our products are suitable for their applications. Our products are only intended for sale to industrial and commercial customers. The customer assumes full responsibility for quality control, testing, and determination of the suitability of products for its intended application or use.

We warrant that our products will meet our written liquid component specifications. We make no other warranty of any kind, either express or implied, by fact or law, including any warranty of merchantability or fitness for a particular purpose since Tecnopol Sistemas S.L.U. does not control the execution, since Tecnopol Sistemas S.L.U. does not control the execution. Our total liability and customers' exclusive remedy for all proven claims is the replacement of the nonconforming product and in no event shall we be liable for any other damages. While descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, they are provided for guidance only. Because many factors may affect processing or application/ use, Tecnopol Sistemas S.L.U. recommends that the reader make tests to determine the suitability of a product for a particular purpose prior to use.

No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth, or that the products, designs, data or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data or designs provided be considered a part of Tecnopol Sistemas S.L.U. terms and conditions of sale. Further, the descriptions, designs, data, and information furnished by Tecnopol Sistemas S.L.U. hereunder are given gratis and Tecnopol Sistemas S.L.U. assumes no obligation or liability for the description, designs, data or information is given or results obtained, all such being given and accepted at the reader's risk.

All data furnished refers to standard production using manufacturing testing tolerances. The product user, and not Tecnopol Sistemas S.L.U., is responsible for determining the suitability and compatibility of our products for the final user's intended use.

The liability of Tecnopol Sistemas S.L.U. and its affiliates for all claims is limited to the purchase price of the material.

Products may be toxic and require special precautions in handling. Users should obtain detailed information on toxicity, together with proper shipping, handling and storage procedures, and comply with all applicable safety and environmental standards.

No freedom from any patents or other industrial or intellectual property rights is granted or to be inferred.

